

Summary Report

Report created on January 09, 2025 Report date range: October 01, 2024 - December 31, 2024 Prepared by: Ben Howe, bhowe@atlassian.com





# **Table of contents**

Executive summary 3
Reporting and methodology 4
Background4
Engagement details
Targets and scope   5
Findings Summary
Risk and priority key
Appendix
Submissions over time
Submissions signal
Closing Statement



## **Executive summary**

**Atlassian** engaged Bugcrowd, Inc. to launch and implement a Security Program comprising one or more engagements on the Bugcrowd Platform.

The testing type, scope, targets, and duration of the testing done for each engagement were specified in the Engagement Brief that was created during planning.

During testing, each discovered vulnerability was validated and assigned a priority level for remediation. The complete list of vulnerabilities uncovered during the engagement(s), along with their potential impact, is shown in the Findings section.

This report shows testing for Atlassian's targets during the period between 10/01/2024 - 12/31/2024.

For this Security Program comprising one or more engagements, submissions were received from **24** unique testers.

The continuation of this document summarizes the findings, analysis, and recommendations from the engagement(s) performed by Bugcrowd for {org-name}.

This report is a summary of the information available. All details of the engagement's findings — comments, code, and any tester provided remediation information — can be found in the <u>Bugcrowd platform</u> (https://tracker.bugcrowd.com)




# **Reporting and methodology**

### Background

The strength of crowdsourced testing lies in multiple researchers, the pay-for-results model, and the varied methodologies that the researchers implement. To this end, researchers are encouraged to use their own individual methodologies on various Engagements.

The workflow of every Bugcrowd Security Program Engagement can be divided into the following four phases:



Depending on the type of engagement, testers may have adopted one or more methodologies to guide their testing, including:





## **Engagement details**

This report incorporates following engagements within the Atlassian Security Program as an aggregate:

• Opsgenie

### **Targets and scope**

Bugcrowd worked with **Atlassian** to define the Rules of Engagement, targets, duration, and scope for each engagement prior to launch. The following targets were considered explicitly in scope for testing:


- app.opsgenie.com
- mobileapp.opsgenie.com
- Opsgenie (IoS)
- \*.opsgenie.com
- Opsgenie (Android)

All details including the scope can be reviewed in the settings of each engagement.



## **Findings Summary**

The following chart shows all valid assessment findings from the engagement by technical severity.





# **Risk and priority key**

The following key is used to explain how Bugcrowd rates valid vulnerability submissions and their technical severity. As a trusted advisor Bugcrowd also provides common "next steps" for program owners per severity category.

Technical severity	Example vulnerability types
Critical P1 Critical severity submissions (also known as "P1" or "Priority 1") are submissions that are escalated to Bugcrowd as soon as they are validated. These issues warrant the highest security consideration and should be addressed immediately. Commonly, submissions marked as Critical can cause financial theft, unavailability of services, large-scale account compromise, etc.	<ul> <li>Remote Code Execution</li> <li>Vertical Authentication Bypass</li> <li>XML External Entities Injection</li> <li>SQL Injection</li> <li>Insecure Direct Object Reference for a critical function</li> </ul>
Severe P2 High severity submissions (also known as "P2" or "Priority 2") are vulnerability submissions that should be slated for fix in the very near future. These issues still warrant prudent consideration but are often not availability or "breach level" submissions. Commonly, submissions marked as High can cause account compromise (with user interaction), sensitive information leakage, etc.	<ul> <li>Lateral authentication bypass</li> <li>Stored Cross-Site Scripting</li> <li>Cross-Site Request Forgery for a critical function</li> <li>Insecure Direct Object Reference for an important function</li> <li>Internal Server-Side Request Forgery</li> </ul>
Moderate P3 Medium severity submissions (also known as "P3" or "Priority 3") are vulnerability submissions that should be slated for fix in the major release cycle. These vulnerabilities can commonly impact single users but require user interaction to trigger or only disclose moderately sensitive information.	<ul> <li>Reflected Cross-Site Scripting with limited impact</li> <li>Cross-Site Request Forgery for an important function</li> <li>Insecure Direct Object Reference for an unimportant function</li> </ul>
Low P4 Low severity submissions (also known as "P4" or "Priority 4") are vulnerability submissions that should be considered for fix within the next six months. These vulnerabilities represent the least danger to confidentiality, integrity, and availability.	<ul> <li>Cross-Site Scripting with limited impact</li> <li>Cross-Site Request Forgery for an unimportant function</li> <li>External Server-Side Request Forgery</li> </ul>
Informational P5 Informational submissions (also known as "P5" or "Priority 5") are vulnerability submissions that are valid but out-of-scope or are "won't fix" issues, such as best practices.	<ul><li>Lack of code obfuscation</li><li>Autocomplete enabled</li><li>Non-exploitable SSL issues</li></ul>

## VRT

#### Bugcrowd's Vulnerability Rating Taxonomy

More detailed information regarding our vulnerability classification can be found at: https://bugcrowd.com/vulnerability-rating-taxonomy




# Appendix

Included in this appendix are auxiliary metrics and insights into the engagement(s). This includes information regarding submissions over time, payouts and prevalent issue types.


### Submissions over time

The timeline below shows submissions received and validated by the Bugcrowd team:



### Submissions signal

A total of **34** submissions were received, with **10** unique valid issues discovered. Bugcrowd identified **6** informational submissions, **5** duplicate submissions, removed **19** invalid submissions, and is processing **0** submissions. The ratio of unique valid submissions to noise was **29%**.



Atlassian | Summary Report







Bugcrowd Inc. 300 California Street Suite 220 San Francisco, CA 94104 (888)361-9734

January 9 2025

# **Closing Statement**

## Introduction

This report shows testing of Atlassian between the dates of **10/01/2024 and 12/31/2024**. During this time, **24** testers from Bugcrowd submitted a total of **34** vulnerability submissions against Atlassian's targets. The purpose of this testing was to identify security issues that could adversely affect the integrity of Atlassian. Testing focused on the following:

## **Engagements overview**

It is important to note that this document represents a point-in-time evaluation of security posture. Security threats and attacker techniques evolve rapidly, and the results of this assessment are not intended to represent an endorsement of the adequacy of current security measures against future threats. This document contains information in summary form and is therefore intended for general guidance only; it is not intended as a substitute for detailed research or the exercise of professional judgment. The information presented here should not be construed as professional advice or service.

## **Testing Methods**

This engagement(s) selected and activated testers who that used a combination of proprietary, public, automated, and manual test techniques throughout the assessment. Commonly tested vulnerabilities include code injection, cross-site request forgery, cross-site scripting, insecure storage of sensitive data, authorization/authentication vulnerabilities, business logic vulnerabilities, and more.



#### During the Engagement, Bugcrowd discovered the following:

Technical Severity	Count
Critical vulnerabilities	0
Severe vulnerability	1
Moderate vulnerability	1
Low vulnerabilities	3
Informational vulnerabilities	5